CHEVRON ENVIRONMENTAL HEALTH CENTER INC. -- UNIVERSAL GEAR LUBRICANT SAE 85W-140 -- 9150-01-048-4591

Product ID:UNIVERSAL GEAR LUBRICANT SAE 85W-140 MSDS Date:03/17/1994 FSC:9150 NIIN:01-048-4591 MSDS Number: BPHOZ === Responsible Party === Company Name: CHEVRON ENVIRONMENTAL HEALTH CENTER INC. Address:15299 SAN PABLO AVE. Box:4054 City:RICHMOND State:CA ZIP:94804-0054 Country:US Info Phone Num:415-233-3737 Emergency Phone Num:415-233-3737 CAGE:0AHD1 === Contractor Identification === Company Name: CHEVRON ENVIRONMENTAL HEALTH CENTER INC Address:15299 SAN PABLO AVE Box:4054 City:RICHMOND State:CA ZIP:94804 Country:US Phone: 800-582-3835 CAGE:0AHD1 Ingred Name: DISTILLATES, HYDROTREATED HEAVY PARAFFINIC, OR IT MAY CONTAIN INGRED # 2 OR 3 OR 4 OR 5 OR 6. CAS:64742-54-7 RTECS #: PY8035500 Fraction by Wt: >90% Other REC Limits:NONE RECOMMENDED OSHA PEL:300 PPM ACGIH TLV:300 PPM Ingred Name:MINERAL OIL, PETROLEUM DISTILLATES, SOLVENT-DEWAXED HEAVY PARAFFINIC CAS:64742-65-0 RTECS #: PY8038500 Fraction by Wt: SEE #1% Other REC Limits:NONE RECOMMENDED ACGIH TLV:5 MG/M3 (OIL MIST) Ingred Name: HIGHLY REFINED BASE OIL CAS:72623-85-9 Fraction by Wt: SEE #1% Other REC Limits:NONE RECOMMENDED Ingred Name: RESIDUAL OILS, HYDROTREATED CAS:64742-57-0 Fraction by Wt: SEE #1% Other REC Limits:NONE RECOMMENDED OSHA PEL:5 MG/M3 (OIL MIST) ACGIH TLV:5 MG/M3 (OIL MIST)

Ingred Name: HYDROTREATED C25 BRIGHT STOCK BASED LUBRICATING OIL

CAS:72623-83-7 Fraction by Wt: SEE #1% Other REC Limits:NONE RECOMMENDED Ingred Name:SOLVENT REFINED RESIDUM CAS:64742-01-4 Fraction by Wt: SEE #1% Other REC Limits:NONE RECOMMENDED Ingred Name: ADDITIVES AND OTHER INGREDIENTS Fraction by Wt: <10% Other REC Limits:NONE RECOMMENDED Routes of Entry: Inhalation:YES Skin:NO Ingestion:NO Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO Health Hazards Acute and Chronic: ACUTE: INHALATION OF VAPOR OR MIST MAY CAUSE RESPIRATORY IRRITATION OR DISCOMFORT. CONTACT WITH LIQUID MAY CAUSE MINOR EYE AND SKIN IRRITATION. Explanation of Carcinogenicity: NO INGREDIENT OF A CONCENTRATION OF 0.1% OR GREATER IS LISTED AS A CARCINOGEN OR SUSPECTED CARCINOGEN. Effects of Overexposure: INHALED: COUGHING, WHEEZING, OR SHORTNESS OF BREATH. EYES: REDNESS, TEARING, BLURRED VISION, DISCOMFORT. SKIN: RASH, ITCHING. Medical Cond Aggravated by Exposure: NONE SPECIFIED BY MANUFACTURER. First Aid: INHALED: REMOVE PERSON TO FRESH AIR. SEE DOCTOR IF SYMPTOMS PERSIST. EYES: FLUSH WITH LOTS OF WATER FOR 15 MINUTES WHILE HOLDING EYELIDS OPEN. SEE DOCTOR. SKIN: REMOVE CONTAMINATED CLOTHES. WASH WITH SOAP AND WATER. INGESTED: IF CONSCIOUS, GIVE MILK OR WATER TO DILUTE. GET IMMEDIATE MEDICAL ATTENTION. Flash Point Method:COC Flash Point:410F,210C Extinguishing Media: CARBON DIOXIDE, FOAM, DRY CHEMICAL, WATER FOG. Fire Fighting Procedures:WEAR SELF-CONTAINED BREATHING APPARATUS AND BUNKER GEAR. Unusual Fire/Explosion Hazard:DO NOT CUT, WELD, BRAZE, HEAT OR DRILL CONTAINER. RESIDUE MAY IGNITE WITH EXPLOSIVE VIOLENCE IF HEATED SUFFICIENTLY. Spill Release Procedures:STOP THE SOURCE OF SPILL OR RELEASE. CLEAN- UP RELEASE AS SOON AS POSSIBLE. ABSORB WITH INERT MATERIAL AND PLACE IN A CONTAINER FOR LATER DISPOSAL. KEEP OUT OF SEWERS AND WATERWAYS. WHERE FEASIBLE AND APPROPRIATE REMOVE CONTAMINATED SOIL. Neutralizing Agent:NONE SPECIFIED BY MANUFACTURER. Handling and Storage Precautions:STORE IN A COOL, DRY AREA AWAY FROM SOURCES OF IGNITION AND STRONG OXIDIZING AGENTS. Other Precautions: DO NOT USE PRESSURE TO EMPTY DRUM OR EXPLOSION MAY RESULT. 

Respiratory Protection:NONE NORMALLY REQUIRED.

Ventilation: USE ADEQUATE MECHANICAL VENTILATION. Protective Gloves:NONE NORMALLY REQUIRED. Eye Protection:NONE NORMALLY REQUIRED. Other Protective Equipment: NONE NORMALLY REQUIRED. Work Hygienic Practices: WASH HANDS AFTER USE AND BEFORE EATING, DRINKING, OR SMOKING. LAUNDER CONTAMINATED CLOTHES BEFORE REUSE. Supplemental Safety and Health HCC:V6 Melt/Freeze Pt:M.P/F.P Text:10F,-12C Viscosity:24.2 CST@100C Solubility in Water: INSOLUBLE Appearance and Odor:DARK GREEN LIQUID Stability Indicator/Materials to Avoid:YES STRONG OXIDIZING AGENTS Stability Condition to Avoid:CONTACT WITH SOURCES OF IGNITION AND STRONG OXIDIZING AGENTS Hazardous Decomposition Products: CARBON DIOXIDE, WATER VAPOR, OXIDES OF SULFUR AND PHOSPHORUS; INCOMPLETE COMBUSTION PRODUCES CARBON MONOXIDE. Waste Disposal Methods:DISPOSE OF IN ACCORDANCE WITH LOCAL, STATE AND FEDERAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.