



 CORNELL


 Material Safety
Data Sheets

Division of Facilities Services

DOD Hazardous Material Information (ANSI Format) For Cornell University Convenience Only

WD-40 AEROSOL, 10002

Section 1 - Product and Company Identification	Section 9 - Physical & Chemical Properties
Section 2 - Composition/Information on Ingredients	Section 10 - Stability & Reactivity Data
Section 3 - Hazards Identification Including Emergency Overview	Section 11 - Toxicological Information
Section 4 - First Aid Measures	Section 12 - Ecological Information
Section 5 - Fire Fighting Measures	Section 13 - Disposal Considerations
Section 6 - Accidental Release Measures	Section 14 - MSDS Transport Information
Section 7 - Handling and Storage	Section 15 - Regulatory Information
Section 8 - Exposure Controls & Personal Protection	Section 16 - Other Information

The information in this document is compiled from information maintained by the United States Department of Defense (DOD). Anyone using this information is solely responsible for the accuracy and applicability of this information to a particular use or situation.

Cornell University does not in any way warrant or imply the applicability, viability or use of this information to any person or for use in any situation.

Section 1 - Product and Company Identification WD-40 AEROSOL, 10002

Product Identification: WD-40 AEROSOL, 10002

Date of MSDS: 06/01/1996 **Technical Review Date:** 07/31/1997

FSC: 8030 **NIIN:** LIIN: 00N078166

Submitter: N EN

Status Code: C

MFN: 01

Article: N

Kit Part: N

Manufacturer's Information

Manufacturer's Name: WD-40 COMPANY
Manufacturer's Address1: 1061 CUDAHY PLACE (92110)
Manufacturer's Address2: SAN DIEGO, CA 92138-0607
Manufacturer's Country: US
General Information Telephone: 619-275-1400
Emergency Telephone: 800-424-9300 (CHEMTREC)
Emergency Telephone: 800-424-9300 (CHEMTREC)
MSDS Preparer's Name: R MILES
Proprietary: N
Reviewed: N
Published: Y
CAGE: 09137
Special Project Code: N

Contractor Information

Contractor's Name: WD-40 COMPANY
Post Office Box: 80607
Contractor's Address1: 1061 CUDAHY PLACE (92110)
Contractor's Address2: SAN DIEGO, CA 92138-0607
Contractor's Telephone: 619-275-1400
Contractor's CAGE: 09137

Section 2 - Compositon/Information on Ingredients
WD-40 AEROSOL, 10002

Ingredient Name: CARBON DIOXIDE
Ingredient CAS Number: 124-38-9 **Ingredient CAS Code:** M
RTECS Number: FF6400000 **RTECS Code:** M
=WT: =WT Code:
=Volume: =Volume Code:
>WT: >WT Code:
>Volume: >Volume Code:
<WT: <WT Code:
<Volume: <Volume Code:
% Low WT: % Low WT Code:
% High WT: % High WT Code:
% Low Volume: % Low Volume Code:
% High Volume: % High Volume Code:
% Text: 2-3
% Enviromental Weight:
Other REC Limits: N/K
OSHA PEL: 5000 PPM **OSHA PEL Code:** M
OSHA STEL: OSHA STEL Code:
ACGIH TLV: 5000PPM/30000STEL **ACGIH TLV Code:** M
ACGIH STEL: N/P ACGIH STEL Code:
EPA Reporting Quantity:

DOT Reporting Quantity:
Ozone Depleting Chemical: N

Ingredient Name: MINERAL OIL, PETROLEUM DISTILLATE, SOLVENT DEWAXED (SEVERE), HEAVY PARAFFINIC; (PETROLEUM BASE OIL)

Ingredient CAS Number: 64742-65-0 **Ingredient CAS Code:** M

RTECS Number: PY8038501 **RTECS Code:** M

=WT: =WT Code:

=Volume: =Volume Code:

>WT: >WT Code:

>Volume: >Volume Code:

<WT: <WT Code:

<Volume: <Volume Code:

% Low WT: % Low WT Code:

% High WT: % High WT Code:

% Low Volume: % Low Volume Code:

% High Volume: % High Volume Code:

% Text: 15-25

% Environmental Weight:

Other REC Limits: N/K

OSHA PEL: 5 MG/M3 (MFR) **OSHA PEL Code:** M

OSHA STEL: **OSHA STEL Code:**

ACGIH TLV: 5 MG/M3 (MFR) **ACGIH TLV Code:** M

ACGIH STEL: N/P **ACGIH STEL Code:**

EPA Reporting Quantity:

DOT Reporting Quantity:

Ozone Depleting Chemical: N

Ingredient Name: NON-HAZARDOUS INGREDIENTS

Ingredient CAS Number: **Ingredient CAS Code:** X

RTECS Number: **RTECS Code:** X

=WT: =WT Code:

=Volume: =Volume Code:

>WT: >WT Code:

>Volume: >Volume Code:

<WT: <WT Code:

<Volume: <Volume Code:

% Low WT: % Low WT Code:

% High WT: % High WT Code:

% Low Volume: % Low Volume Code:

% High Volume: % High Volume Code:

% Text: <10

% Environmental Weight:

Other REC Limits: N/K

OSHA PEL: N/K (FP N) **OSHA PEL Code:** M

OSHA STEL: **OSHA STEL Code:**

ACGIH TLV: N/K (FP N) **ACGIH TLV Code:** M

ACGIH STEL: N/P **ACGIH STEL Code:**

EPA Reporting Quantity:

DOT Reporting Quantity:
Ozone Depleting Chemical:

Ingredient Name: STODDARD SOLVENT; (ALIPHATIC PETROLEUM DISTILLATES)

Ingredient CAS Number: 8052-41-3 **Ingredient CAS Code:** M

RTECS Number: WJ8925000 **RTECS Code:** M

=WT: =WT Code:

=Volume: =Volume Code:

>WT: >WT Code:

>Volume: >Volume Code:

<WT: <WT Code:

<Volume: <Volume Code:

% Low WT: % Low WT Code:

% High WT: % High WT Code:

% Low Volume: % Low Volume Code:

% High Volume: % High Volume Code:

% Text: 60-70

% Environmental Weight:

Other REC Limits: N/K

OSHA PEL: 500 PPM OSHA PEL Code: M

OSHA STEL: OSHA STEL Code:

ACGIH TLV: 100 PPM ACGIH TLV Code: M

ACGIH STEL: N/P ACGIH STEL Code:

EPA Reporting Quantity:

DOT Reporting Quantity:

Ozone Depleting Chemical: N

Section 3 - Hazards Identification, Including Emergency Overview

WD-40 AEROSOL, 10002

Health Hazards Acute & Chronic: ACUTE: INHALATION: MAY CAUSE ANESTHESIA, HEADACHE, DIZZINESS, NAUSEA, AND UPPER RESPIRATORY IRRITATION. SKIN: MAY CAUSE DRYING OF SKIN AND/OR IRRITATION. EYES: MAY CAUSE IRRITATION, TEARING AND REDNESS. INGESTION: MAY CAUSE IRRITATION, NAUSEA, VOMITING AND DIARRHEA. DANGER! IF SWALLOWED, CAN ENTER (EFTS OF OVEREXPOSURE)

Signs & Symptoms of Overexposure:

HLTH HAZ: LUNGS AND MAY CAUSE CHEMICAL PNEUMONITIS. CHRONIC: NONE SPECIFIED BY MANUFACTURER.

Medical Conditions Aggravated by Exposure:

PREEXISTING MEDICAL CONDITIONS SUCH AS EYE, SKIN AND RESPIRATORY DISORDERS MAY BE AGGRAVATED BY EXPOSURE.

LD50 LC50 Mixture: NONE SPECIFIED BY MANUFACTURER.

Route of Entry Indicators:

Inhalation: YES

Skin: YES

Ingestion: YES

Carcenogenicity Indicators

NTP: NO

IARC: NO

OSHA: NO

Carcinogenicity Explanation: NOT RELEVANT.

Section 4 - First Aid Measures
WD-40 AEROSOL, 10002

First Aid:

INGESTION: DO NOT INDUCE VOMITING, SEEK MEDICAL ATTENTION IMMEDIATELY.
EYES: IMMEDIATELY FLUSH WITH LARGE AMOUNTS OF WATER FOR AT LEAST 15 MINUTES. SKIN: WASH WITH SOAP AND WATER. INHALATION: REMOVE TO FRESH AIR. GIVE ARTIFICIAL RESPIRATION IF NECESSARY. IF BREATHING IS DIFFICULT, GIVE OXYGEN.

Section 5 - Fire Fighting Measures
WD-40 AEROSOL, 10002

Fire Fighting Procedures:

WEAR NIOSH APPROVED SCBA & FULL PROTECTIVE EQUIPMENT (FP N). CONTENTS UNDER PRESSURE.

Unusual Fire or Explosion Hazard:

FLAMMABLE - U.F.C. LEVEL 3 AEROSOL.

Extinguishing Media:

CARBON DIOXIDE, DRY CHEMICAL, FOAM.

Flash Point: Flash Point Text: >110F,>43C

Autoignition Temperature:

Autoignition Temperature Text: N/A

Lower Limit(s): 1.0%

Upper Limit(s): 6.0%

Section 6 - Accidental Release Measures
WD-40 AEROSOL, 10002

Spill Release Procedures:

SPILL UNLIKELY FROM AEROSOL CANS. LEAKING CANS SHOULD BE PLACED IN PLASTIC BAG OR OPEN PAIL UNTIL PRESSURE HAS DISSIPATED.

Section 7 - Handling and Storage
WD-40 AEROSOL, 10002

Handling and Storage Precautions:**Other Precautions:**

Section 8 - Exposure Controls & Personal Protection
WD-40 AEROSOL, 10002

Respiratory Protection:

ADVISED WHEN CONCENTRATIONS EXCEED TLV. USE NIOSH APPROVED RESPIRATOR APPROPRIATE FOR EXPOSURE OF CONCERN (FP N).

Ventilation:

SUFFICIENT TO KEEP SOLVENT VAPOR LESS THAN TLV.

Protective Gloves:

IMPERVIOUS GLOVES (FP N).

Eye Protection: ANSI APPRVD CHEM WORKERS GOGGLES (FP N).**Other Protective Equipment:** NONE REQUIRED. EMERGENCY EYEWASH AND DELUGE SHOWER MEETING ANSI DESIGN CRITERIA (FP N).**Work Hygienic Practices:** NONE SPECIFIED BY MANUFACTURER.**Supplemental Health & Safety Information:** NONE SPECIFIED BY MANUFACTURER.

Section 9 - Physical & Chemical Properties
WD-40 AEROSOL, 10002

HCC:**NRC/State License Number:****Net Property Weight for Ammo:****Boiling Point: Boiling Point Text:** N/A**Melting/Freezing Point: Melting/Freezing Text:** N/K**Decomposition Point: Decomposition Text:** N/K**Vapor Pressure:** 100+/-5PSI **Vapor Density:** >1**Percent Volatile Organic Content:****Specific Gravity:** 0.816 (H*2O=1)**Volatile Organic Content Pounds per Gallon:****pH:** N/K**Volatile Organic Content Grams per Liter:****Viscosity:** N/P**Evaporation Weight and Reference:** N/K**Solubility in Water:** INSOLUBLE**Appearance and Odor:** LIGHT AMBER, CHARACTERISTIC ODOR**Percent Volatiles by Volume:** 68**Corrosion Rate:** N/K

Section 10 - Stability & Reactivity Data
WD-40 AEROSOL, 10002

Stability Indicator: YES**Materials to Avoid:**

STRONG OXIDIZING MATERIALS.

Stability Condition to Avoid:

NOT APPLICABLE.

Hazardous Decomposition Products:

THERMAL DECOMPOSITION MAY YIELD CARBON MONOXIDE AND/OR CARBON DIOXIDE.

Hazardous Polymerization Indicator: NO**Conditions to Avoid Polymerization:**

NOT RELEVANT.

Section 11 - Toxicological Information
WD-40 AEROSOL, 10002

Toxicological Information:

N/P

Section 12 - Ecological Information

WD-40 AEROSOL, 10002**Ecological Information:**

N/P

Section 13 - Disposal Considerations**WD-40 AEROSOL, 10002****Waste Disposal Methods:**

EMPTY AEROSOL CANS SHOULD NOT BE PUNCTURED OR INCINERATED; BURY IN LANDFILL. LIQUID SHOULD BE INCINERATED OR BURNED IN LANDFILL. DISPOSE OF IN ACCORDANCE WITH LOCAL, STATE AND FEDERAL REGULATIONS.

Section 14 - MSDS Transport Information**WD-40 AEROSOL, 10002****Transport Information:**

N/P

Section 15 - Regulatory Information**WD-40 AEROSOL, 10002****SARA Title III Information:**

N/P

Federal Regulatory Information:

N/P

State Regulatory Information:

N/P

Section 16 - Other Information**WD-40 AEROSOL, 10002****Other Information:**

N/P

HAZCOM Label Information**Product Identification:** WD-40 AEROSOL, 10002**CAGE:** 09137**Assigned Individual:** N**Company Name:** WD-40 COMPANY**Company PO Box:** 80607**Company Street Address1:** 1061 CUDAHY PLACE (92110)**Company Street Address2:** SAN DIEGO, CA 92138-0607 US**Health Emergency Telephone:** 800-424-9300 (CHEMTREC)**Label Required Indicator:** Y**Date Label Reviewed:** 07/31/1997**Status Code:** C**Manufacturer's Label Number:****Date of Label:** 07/31/1997**Year Procured:** N/K**Organization Code:** G**Chronic Hazard Indicator:** N**Eye Protection Indicator:** YES**Skin Protection Indicator:** YES**Respiratory Protection Indicator:** YES**Signal Word:** WARNING**Health Hazard:** Moderate

Contact Hazard: Moderate

Fire Hazard: Moderate

Reactivity Hazard: None

8/9/2002 10:00:34 AM