STEARNS.

Trade name: Steramine®

| .1 Product identifier | | | | |
|---|---|--|--|--|
| Trade name: Steramine® | ST-13, ST-147, ST-204, ST-718, ST-722, ST-723, ST-767, ST-906, ST-1266, ST-1267, ST-2010 | | | |
| Article number: SL10 | EPA Registration No. 10324 | EPA Registration No. 10324-63-3640 | | |
| 1.2 Relevant identified uses No further relevant information | of the substance or mixture a n available. | nd uses advised against | | |
| Application of the substance | e / the preparation Surface Disi | nfectant and Sanitizer. | | |
| Product dilution information | n: 1 fl. oz. (29.57 ml) 1-1/4 gallon 1-2 oz. (29.57-59.14 ml) per 4 | s of water for disinfection. gallons of water for food contact sanitiing. | | |
| 1.3 Details of the supplier of Stearns Packaging Corporatio 4200 Sycamore Avenue (537 PO Box 3216 Madison, WI 53704-0216 Phone: 800-655-5008 Email: stearns@stearnspkg.co Website: www.stearnspkg.co | on 14) om | | | |
| 1.4 Emergency telephone nu ChemTel Inc. (800)255-3924, +1 (813)248-0 | | | | |
| | | | | |
| 2 Hazards identificatio • 2.1 Classification of the sul • Classification according to | bstance or mixture | | | |
| 2.1 Classification of the sul Classification according to | | Product at USE DILUTION | | |
| 2.1 Classification of the sul Classification according to | bstance or mixture Regulation (EC) No 1272/2008 | | | |
| 2.1 Classification of the sul Classification according to Product | bstance or mixture Regulation (EC) No 1272/2008 as SOLD H314 +H318 Causes severe | Product at USE DILUTION | | |
| 2.1 Classification of the sul Classification according to Product GHS05 corrosion Skin Corr. 1C, Eye Dam. 1 H skin burns and serious eye d | bstance or mixture Regulation (EC) No 1272/2008 as SOLD H314 +H318 Causes severe | Product at USE DILUTION No pictogram Eye Irrit. 2B, H320 Causes eye irritation. | | |
| 2.1 Classification of the sul Classification according to Product GHS05 corrosion Skin Corr. 1C, Eye Dam. 1 H skin burns and serious eye d | bstance or mixture Regulation (EC) No 1272/2008 as SOLD H314 +H318 Causes severe lamage. | Product at USE DILUTION No pictogram Eye Irrit. 2B, H320 Causes eye irritation. | | |
| 2.1 Classification of the sul Classification according to Product GHS05 corrosion Skin Corr. 1C, Eye Dam. 1 H skin burns and serious eye d Classification according to C; Corrosive R34: Causes burns. | bstance or mixture Regulation (EC) No 1272/2008 as SOLD H314 +H318 Causes severe lamage. | Product at USE DILUTION No pictogram Eye Irrit. 2B, H320 Causes eye irritation. tive 1999/45/EC Xi; Irritant R36: Causes eye irritation. | | |
| 2.1 Classification of the sul Classification according to Product GHS05 corrosion Skin Corr. 1C, Eye Dam. 1 H skin burns and serious eye d Classification according to C; Corrosive R34: Causes burns. | bstance or mixture Regulation (EC) No 1272/2008 as SOLD H314 +H318 Causes severe amage. Directive 67/548/EEC or Direc rticular hazards for human and d due to the calculation assification guideline for | Product at USE DILUTION No pictogram Eye Irrit. 2B, H320 Causes eye irritation. tive 1999/45/EC Xi; Irritant R36: Causes eye irritation. | | |
| 2.1 Classification of the sul Classification according to Product GHS05 corrosion Skin Corr. 1C, Eye Dam. 1 H skin burns and serious eye d Classification according to C; Corrosive R34: Causes burns. Information concerning par The product has to be labele procedure of the "General Classification | bstance or mixture Regulation (EC) No 1272/2008 as SOLD H314 +H318 Causes severe amage. Directive 67/548/EEC or Direc rticular hazards for human and d due to the calculation assification guideline for | Product at USE DILUTION No pictogram Eye Irrit. 2B, H320 Causes eye irritation. tive 1999/45/EC Xi; Irritant R36: Causes eye irritation. environment: The product has to be labeled due to the calculation procedure of the "General Classification guideline fo | | |
| 2.1 Classification of the sul Classification according to Product GHS05 corrosion Skin Corr. 1C, Eye Dam. 1 H skin burns and serious eye d Classification according to C; Corrosive R34: Causes burns. Information concerning par The product has to be labele procedure of the "General Cl preparations of the EU" in the Classification system: | bstance or mixture Regulation (EC) No 1272/2008 as SOLD 1314 +H318 Causes severe amage. Directive 67/548/EEC or Direc rticular hazards for human and d due to the calculation assification guideline for e latest valid version. | Product at USE DILUTION No pictogram Eye Irrit. 2B, H320 Causes eye irritation. tive 1999/45/EC Xi; Irritant R36: Causes eye irritation. environment: The product has to be labeled due to the calculation procedure of the "General Classification guideline fo | | |

| Trade name: Steramine® | |
|---|---|
| | (Contd. from page 1) |
| • 2.2 Label elements | |
| Labeling according to Regulation (EC) No 1272/2008 | |
| Product as SOLD | Product at USE DILUTION |
| The product is classified and labeled according to the CLP regulation. | The product is classified and labeled according to the CLP regulation. |
| Hazard pictograms | |
| GHS05 | None |
| Signal word Danger | Warning |
| Hazard-determining components of labelling: | |
| Alkyl (C12-C14) Dimethyl (Ethylbenzyl) Ammonium Chloride Alkyl (C12,C14,C16,C18) Dimethyl Benzyl Ammonium Chloride | Alkyl (C12-C14) Dimethyl (Ethylbenzyl) Ammonium Chloride Alkyl (C12,C14,C16,C18) Dimethyl Benzyl Ammonium Chloride |
| Hazard statements | |
| H314+H318 Causes severe burns and serious eye damage. | H320 Causes eye irritation. |
| Precautionary statements | |
| P280 Wear protective gloves/protective clothing / eye protection. P264 Wash hands thoroughly after handling. P260 Do not breathe mists. P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do. Continue rinsing. P310 Immediately call a poison center / doctor. P303+P361+P353+P363: IF ON SKIN (or hair): Take off immediately call a poison center / doctor. P310 Immediately call a poison center / doctor. P310 Immediately call a poison center / doctor. P310 Immediately call a poison center / doctor. P301+P330+P331+P310: IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. Immediately call a poison center / doctor. P304+P340: IF INHALED: Remove person to fresh air and keep comfortable for breathing. P310: Immediately call a POISON CENTER or doctor. P405: Store locked up. P501 Dispose of contents/container in accordance with local regulations. | Wash hands thoroughly after handling. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do. Continue rinsing. If eye irritation persists get medical attention. |

3 Composition/information on ingredients

• 3.2 Mixtures

• Description: Mixture of substances listed below with nonhazardous additions.

| CAS: 85409-23-0 | Alkyl (C12-C14) Dimethyl (Ethylbenzyl) Ammonium Chloride | <5% |
|-----------------|---|-----|
| | 🔤 C R34; 🔀 Xn R22; 🔀 Xi R37 | |
| | Skin Corr. 1B, H314; Eye Dam. 1, H318 |] |
| | Acute Tox. 4, H302; STOT SE 3, H335 | |
| CAS: 68391-01-5 | Alkyl (C12,C14,C16,C18) Dimethyl Benzyl Ammonium Chloride | <5% |
| | 🔤 C R35; 🔀 Xn R22; 🔀 Xi R41 | |
| | Skin Corr. 1A, H314; Eye Dam. 1, H318 | |
| | Acute Tox. 4, H302 | |

• Additional information: For the wording of the listed risk phrases refer to section 16.

Trade name: Steramine®

(Contd. from page 2)

4 First-aid measures

| Product as SOLD | | |
|--|---|--|
| | Product at USE DILUTION | |
| General information: Take affected persons out into the fresh air. | No special measures required. | |
| • After inhalation: Supply fresh air; consult doctor in case of complaints. | Remove victim to fresh air and keep comfortable for breathing. | |
| After skin contact: Immediately rinse with water. Immediately remove any clothing soiled by product. If skin irritation continues, consult a doctor. | If irritation occurs, rinse skin with water. If irritation persists get medical attention. | |
| • After eye contact: Remove contact lenses if worn. Rinse opened eye for several minutes under running water. Then consult a doctor. | Rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do. Continue rinsing. If eye irritation persists get medical attention. | |
| • After swallowing: Rinse out mouth and then drink plenty of water. Do not induce vomiting; call for medical help immediately. | Rinse mouth. Do NOT induce vomiting. Call a POISON CENTER or doctor/physician if you feel unwell. | |
| • 4.2 Most important symptoms and effects, both acute and delayed Strong caustic effect on skin and mucous membranes. Gastric or intestinal disorders. Nausea Headache Dizziness Coughing | No known effects. | |
| • Hazards Danger of severe eye injury. Danger of gastric perforation. Danger of impaired breathing. | No known effects. | |
| • 4.3 Indication of any immediate medical attention and spe | cial treatment needed | |
| Monitor circulation, possible shock treatment. | Treat symptomatically. | |
| Medical supervision for at least 48 hours. | | |
| If necessary oxygen respiration treatment. | | |
| If swallowed, gastric irrigation. | | |

5 Fire-fighting measures

- 5.1 Extinguishing media
- Suitable extinguishing agents: Use fire extinguishing methods suitable to surrounding conditions.
- For safety reasons unsuitable extinguishing agents: None.
- 5.2 Special hazards arising from the substance or mixture
- During heating or in case of fire poisonous gases are produced. • **5.3 Advice for firefighters**
- Protective equipment:

Wear self-contained respiratory protective device. Wear fully protective suit.

• Additional information No further relevant information available.

Trade name: Steramine®

(Contd. from page 3)

6 Accidental release measures • 6.1 Personal precautions, protective equipment and emergency procedures **Product as SOLD Product at USE DILUTION** Use respiratory protective device against the effects of Use personal protective equipment as required. fumes/dust/aerosol. Wear protective equipment. Keep unprotected persons away. Ensure adequate ventilation Particular danger of slipping on leaked/spilled product. • 6.2 Environmental precautions: Do not allow to enter sewers/ surface or ground water. Avoid contact of large amounts of spilled material and run off Inform respective authorities in case of seepage into water with soil and surface waterways. course or sewage system. • 6.3 Methods and material for containment and cleaning up: Absorb with liquid-binding material (sand, diatomite, acid Large Spills: Flush area with water. Prevent entry into waterbinders, universal binders, sawdust). ways. Dispose contaminated material as waste according to Small Spills: Wipe up with absorbent material. item 13. Send for recovery or disposal in suitable receptacles. • 6.4 Reference to other sections See Section 7 for information on safe handling. See Section 7 for information on safe handling. See Section 8 for information on personal protection See Section 8 for information on personal protection equipequipment. ment. See Section 13 for disposal information. See Section 13 for disposal information.

7 Handling and storage

| Product as SOLD | Product at USE DILUTION |
|---|--------------------------------|
| Prevent formation of aerosols. Store in cool, dry place in tightly closed receptacles. Avoid splashes or spray in enclosed areas. Use only in well ventilated areas. | No special measures required. |
| nformation about fire - and explosion protection: | |
| No special measures required. | No special measures required. |
| 7.2 Conditions for safe storage, including any incompati | bilities |
| Storage: | |
| Requirements to be met by storerooms and receptacles | |
| Avoid storage near extreme heat, ignition sources or open lame. Jnsuitable material for receptacle: aluminium. Jnsuitable material for receptacle: steel. | Keep out of reach of children. |

| Trade name: Steramine® | |
|--|---|
| | (Contd. from page 4) |
| Product as SOLD | Product at USE DILUTION |
| Information about storage in one common storage facili | |
| Store away from foodstuffs. Store away from oxidizing agents. Store away from reducing agents. Do not store together with acids. | No storage precautions necessary. |
| Further information about storage conditions: | |
| Keep container tightly closed. Protect from freezing. | No storage precautions necessary. |
| • 7.3 Specific end use(s) No further relevant information ava | ilable. |
| 8 Exposure controls/personal protection • Additional information about design of technical facilities | es: No further data; see item 7. |
| Product as SOLD | Product at USE DILUTION |
| 8.1 Control parameters | |
| Ingredients with limit values that require monitoring at t | he workplace: |
| The product does not contain any relevant quantities of materia • DNELs No further relevant information available. • PNECs No further relevant information available. • Additional information: The lists valid during the making w | als with critical values that have to be monitored at the workplace. |
| • 8.2 Exposure controls | |
| Personal protective equipment: | |
| General protective and hygienic measures: | |
| The usual precautionary measures are to be adhered to when handling chemicals. Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing. Wash hands before breaks and at the end of work. Avoid contact with the eyes and skin. Do not inhale gases / fumes / aerosols. | Not required under normal conditions of use. |
| Respiratory protection: | |
| Use suitable respiratory protective device in case of insufficient ventilation. Use suitable respiratory protective device when aerosol or mist is formed. For spills, respiratory protection may be advisable. NIOSH approved organic vapor respirator equipped with a dust/mist prefilter should be used. | A respirator is not required under normal and intended conditions of use. |
| Protection of hands: | |
| Protective gloves The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture. Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation. | No protective equipment is needed under normal conditions. |

Trade name: Steramine® (Contd. from page 5) Product at USE DILUTION **Product as SOLD** Material of gloves The selection of the suitable gloves does not only depend No protective equipment is needed under normal on the material, but also on further marks of conditions. quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application. · Penetration time of glove material The exact break through time has to be found out by the No protective equipment is needed under normal manufacturer of the protective gloves and has to conditions. be observed. • For the permanent contact gloves made of the following materials are suitable: Neoprene gloves No protective equipment is needed under normal Butyl rubber, BR conditions. Nitrile rubber, NBR Eye protection: No protective equipment is needed under normal conditions. Safety glasses · Body protection: Protective work clothing No protective equipment is needed under normal conditions. · Limitation and supervision of exposure into the environment No further relevant information available. No further relevant information available. Risk management measures See Section 7 for additional information. See Section 7 for additional information. No further relevant information available. No further relevant information available.

| 9 Physical and chemical properties | | |
|---|---|--|
| | Product as SOLD | Product at USE DILUTION |
| 9.1 Information on basic physical a | and chemical properties | |
| General Information Appearance: Form: Color: Odor: Odor threshold: | Liquid Clear Like aldehyde Not determined. | Liquid Clear Odorless Not determined. |
| • pH-value at 20 °C: | 7.0 - 9.0 for concentrate | 7.0 ± 0.5 |
| Change in condition Melting point/Melting range: Boiling point/Boiling range: | Undetermined. Undetermined. | Not applicable. 100° C / 212° F |
| • Flash point: | >212 °F / >100 °C | Not determined. |
| • Flammability (solid, gaseous): | Not applicable. | Not applicable. |

(Contd. on page 7)

Trade name: Steramine®

| | | (Contd. from pa | |
|--|---|---|--|
| | Product as SOLD | Product at USE DILUTION | |
| Ignition temperature: | Not determined. | Not applicable. | |
| • Self-igniting: | Product is not self-igniting. | Product is not self-igniting. | |
| Danger of explosion: | Product does not present an explosion hazard. | Product does not present an explosion hazard. | |
| • Explosion limits: Lower: Upper: | Not determined. Not determined. | Not determined. Not determined. | |
| Vapor pressure at 20 °C: | 23 hPa | Not determined. | |
| Density at 20 °C: Relative density Vapor density Evaporation rate | 0.99 g/cm³ Not determined. Not applicable. Not applicable. | 1.00 g/cm ³ Not determined. Not applicable. Not applicable. | |
| Solubility in / Miscibility with water: | Fully miscible. | Complete | |
| Partition coefficient (n-octanol/water): | Not determined. | Not determined. | |
| • Viscosity: Dynamic: Kinematic: | Not applicable. Not applicable. | Not determined. Not determined. | |
| 9.2 Other information | No further relevant information available. | No further relevant information available | |

10 Stability and reactivity

- 10.1 Reactivity Not determined.
- 10.2 Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used and stored according to specifications.
 10.3 Possibility of hazardous reactions Reacts with reducing agents. Reacts with oxidizing agents. Contact with acids releases toxic gases. Contact with acids releases irritant gases.

Toxic fumes may be released if heated above the decomposition point.

- Reacts with certain metals.
- 10.4 Conditions to avoid Store away from oxidizing agents.
- 10.5 Incompatible materials:

Warning! Do not use together with other products. May release dangerous gases (chlorine).

• **10.6 Hazardous decomposition products:** Hydrocarbons Carbon monoxide and carbon dioxide Chlorine compounds Ammonia

Trade name: Steramine®

(Contd. from page 7)

| 11 Toxicol | ogical info | ormation | | |
|---|----------------|--|---|--|
| Product as SOLD | | uct as SOLD | Product at USE DILUTION | |
| • 11.1 Inform | ation on toxic | ological effects | | |
| Acute toxic | ity: | | _ | |
| • LD/LC50 | values releva | nt for classification | Non-toxic at use-dilution. | |
| 68391-01-5 Alkyl (C12,C14,C16,C18) Dimethyl Benzyl Ammonium Chloride | | 14,C16,C18) Dimethyl Benzyl | | |
| Oral | LD50 | 650 mg/kg (rat) | | |
| • Primary irri | tant effect: | | | |
| • on the skin | | | | |
| Caustic effe | ct on skin and | mucous membranes. | Non-hazardous at use-dilution. | |
| • on the eye: | | | | |
| Strong caustic effect. | | | Non-hazardous at use-dilution. | |
| Sensitization: No sensitizing effects known. | | ing effects known. | No sensitizing effects known. | |
| Additional t | oxicological | information: | | |
| | | lowing dangers according to the cal or Preparations as issued in the late | | |
| Corrosive Swallowing will lead to a strong caustic effect on mouth and throat and to the danger of perforation of esophagus and stomach. | | | Not classified No known significant effects or critical hazards. | |
| Acute effec | ts (acute toxi | city, irritation and corrosivity): | | |
| Danger thro | ugh skin abso | rption. | Non-hazardous at use-dilution. | |

12 Ecological information

- 12.1 Toxicity
- · Aquatic toxicity: This product contains materials that are harmful to the environment.
- 12.2 Persistence and degradability biodegradable
- 12.3 Bioaccumulative potential No further relevant information available.
- 12.4 Mobility in soil No further relevant information available.
- Ecotoxical effects:
- Remark: Harmful to algae
- Additional ecological information:
- General notes:

This statement was deduced from products with similar structure or composition. Water hazard class 2 (German Regulation) (Self-assessment): hazardous for water Must not reach sewage water or drainage ditch undiluted or unneutralized. Do not allow product to reach ground water, water course or sewage system. Due to available data on eliminability/decomposition and bioaccumulation potential a prolonged damage of the environment is unlikely.

- 12.5 Results of PBT and vPvB assessment
- PBT: Not applicable.
- vPvB: Not applicable.
- 12.6 Other adverse effects No further relevant information available.

Trade name: Steramine®

П

(Contd. from page 8)

| 13.1 Waste treatment methods | |
|--|---|
| Product as SOLD | Product at USE DILUTION |
| Recommendation | |
| Small amounts may be diluted with plenty of water and washed away. Dispose of bigger amounts in accordance with Local Authority requirements. Can be burned with household garbage after consulting with the waste disposal facility operator and the pertinent authorities and adhering to the necessary technical regulations. | Diluted product can be flushed to sanitary sewer. Discard empty container in trash. |
| Uncleaned packaging: | |
| • Recommendation: Disposal must be made according to official regulations. | Diluted product can be flushed to sanitary sewer. Discard empty container in trash. |
| • Recommended cleansing agents: Water, if necessary together with cleansing agents. | |

| 14 Transport information | |
|--|--|
| Product as SOLD | |
| • 14.1 UN-Number • DOT, ADR, ADN, IMDG, IATA | UN1903 |
| • 14.2 UN proper shipping name • DOT (ST-13, ST-718, ST-722, ST-723, ST-767, ST-906, ST-1266, ST-1267) | Disinfectants, NOI, liquid |
| • DOT (ST-147, ST-204, ST-2010) | UN1903, disinfectants, liquid, corrosive, n.o.s. (quaternary ammonium compound), 8, PG III |
| • ADR | 1903 DISINFECTANT, LIQUID, CORROSIVE, N.O.S. (Alkyl dimethyl ethyl benzyl ammonium chloride, quaternary ammonium compound, benzyl-C12-18-alkydimethyl, chlorides) |
| • IMDG, IATA | DISINFECTANT, LIQUID, CORROSIVE, N.O.S. (Alkyl dimethyl ethyl benzyl ammonium chloride, quaternary ammonium compound, benzyl-C12-18-alkydimethyl, chlorides) |
| 14.3 Transport hazard class(es) | |
| • DOT (ST-13, ST-718, ST-722, ST-723, ST-767, ST-906, ST-1266, ST-1267) | |
| \bigcirc | |
| • Class • Label | Not applicable. LTD. QTY. |

(Contd. on page 10)

| | (Contd. from pa |
|---|--|
| • DOT (ST-147, ST-204, ST-2010) | |
| | |
| CORROSVE | |
| • Class | 8 Corrosive substances. 8 |
| • Label | |
| | |
| A CONTRACT OF CONTRACT. | |
| • Class | 8 (C9) Corrosive substances. |
| Label | 8 |
| IMDG, IATA | |
| | |
| | 9 Corrective substances |
| • Class • Label | 8 Corrosive substances. 8 |
| • 14.4 Packing group | |
| DOT, ADR, IMDG, IATA | III |
| 14.5 Environmental hazards: Marine pollutant: | Νο |
| • 14.6 Special precautions for user | Warning: Corrosive Substances |
| Danger Code: | 80 |
| EMS Number | F-A,S-B |
| 14.7 Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code | Not applicable. |
| Transport/Additional information: | |
| ADR | |
| | |
| Transport category | 3 |
| Tunnel restriction code | E |
| UN "Model Regulation": (ST-13, ST-718, ST-722, ST-723, ST-767, ST-906, ST-1266, ST-1267) | Disinfectants, NOI, liquid |
| UN "Model Regulation": (ST-147, ST-204, ST-2010) | UN1903, disinfectants, liquid, corrosive, n.o.s. (quaternary ammonium compound), 8, PG III. Item 44155, Sub 4, Class 70 |

15 Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
United States (USA)

- SARA

| Product as SOLD | Product at USE DILUTION | |
|---|-------------------------|--|
| Section 355 (extremely hazardous substances): | | |
| None of the ingredients is listed. | Not applicable. | |

Trade name: Steramine®

| | (Contd. from page 1 |
|---|------------------------------------|
| Product as SOLD | Product at USE DILUTION |
| Section 313 (Specific toxic chemical listings): | |
| None of the ingredients is listed. | None of the ingredients is listed. |
| TSCA (Toxic Substances Control Act): | |
| All ingredients are listed. | All ingredients are listed. |
| Proposition 65 (California): | |
| Chemicals known to cause cancer: | |
| None of the ingredients is listed. | None of the ingredients is listed. |
| Chemicals known to cause reproductive toxicity for fema | ales: |
| None of the ingredients is listed. | None of the ingredients is listed. |
| Chemicals known to cause reproductive toxicity for male | es: |
| None of the ingredients is listed. | None of the ingredients is listed. |
| Chemicals known to cause developmental toxicity: | |
| None of the ingredients is listed. | None of the ingredients is listed. |
| Carcinogenic Categories | |
| EPA (Environmental Protection Agency) | |
| None of the ingredients is listed. | None of the ingredients is listed. |
| IARC (International Agency for Research on Cancer) | |
| None of the ingredients is listed. | None of the ingredients is listed. |
| TLV (Threshold Limit Value established by ACGIH) | |
| None of the ingredients is listed. | None of the ingredients is listed. |
| NIOSH-Ca (National Institute for Occupational Safety and | d Health) |
| None of the ingredients is listed. | None of the ingredients is listed. |
| OSHA-Ca (Occupational Safety & Health Administration) | |
| All ingredients are listed. | All ingredients are listed. |
| • Canada | |
| Canadian Domestic Substances List (DSL) | |
| All ingredients are listed. | All ingredients are listed. |
| Canadian Ingredient Disclosure list (limit 0.1%) | |
| None of the ingredients is listed. | None of the ingredients is listed. |
| | |
| Canadian Ingredient Disclosure list (limit 1%) | |

Trade name: Steramine®

(Contd. from page 11)

| 16 Other information | | |
|---|---|--|
| This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship. | | |
| Relevant phrases H302 Harmful if swallowed. H314 Causes severe skin burns and eye damage. H318 Causes serious eye damage. H320 Causes eye irritation. H335 May cause respiratory irritation. | | |
| R22Harmful if swallowed.R34Causes burns.R35Causes severe burns.R36Causes eye irritationR37Irritating to respiratory system.R41Risk of serious damage to eyes. | | |
| Product as SOLD | Product at USE DILUTION | |
| Hazardous Material Information System (U.S.A.) Health 2 Flammability 0 Physical hazards 0 4=Very High; 3=High; 2=Moderate; 1=Slight; 0=Insignificant | Health1Flammability0Physical hazards04=Very High; 3=High; 2=Moderate; 1=Slight; 0=Insignificant | |
| • NFPA ratings (scale 0 - 4) | | |
| Health = 2 Fire = 0 Reactivity = 0 | Health = 1 Fire = 0 Reactivity = 0 | |
| SDS File Name: SL10 Steramine SDS Abbreviations and acronyms: ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation GHS: Globally Harmonized System of Classification and Labeling of Chemicals ACGIH: American Conference of Governmental Industrial Hygienists EINECS: European Inventory of Existing Commercial Chemical Substances ELINECS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA) WHMIS: Workplace Hazardous Materials Information System (Canada) DNEL: Derived No-Effect Level (REACH) PNEC: Predicted No-Effect Concentration (REACH) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent | | |
| to determine the safety, toxicity and suitability of his own use, handling and disposal of this pro made by Stearns Packaging Corporation as to the effects of such use, the results to be obtain any liability arising out of the use by others of this product referred to herein. The data in this ' | uracy, sufficiency or completeness of the material set forth herein. It is the user's responsibility duct. Since actual use by others is beyond our control, no warranty, expressed or implied, is ed or the safety and toxicity of this product, nor does Stearns Packaging Corporation assume SDS relates only to the specific material designated herein and does not relate to use in combi- onmend blending this product with any other chemicals. All information, recommendations and e of writing from recognized technical sources. | |