

Material Safety Data Sheet

## **SECTION 1: Chemical Product and Company Identification**

Manufacturer: Cumberland Swan One Swan Drive Smyrna, TN 37167

Date: November 1999

**Product: Mineral Oil** 

**Telephone:** (615) 459-8900 **24hr Emergency**: (615) 459-8900 ext. 527

### **SECTION 2:** Composition / Information on Ingredients

Name: Mineral Oil, USP

## **SECTION 3: Hazards Identification**

Potential Routes of E	xposure: Ingestion, inhalation, dermal contact, eye contact			
Target Organs:	None identified			
Symptoms of Overexposure:				
Inhalation:	Not identified			
Ingestion:	This product is relatively non-toxic unless aspiration occurs.			
	This product has laxative properties and may result in abdominal cramping and diarrhea.			
Dermal Contact:	Not expected to create any skin irritation upon ;direct single or repeated and prolonged contact.			
Acute Effects:	Shortness of breath and coughing.			
Chronic Effects:	On rare occasions, prolonged exposure to oil mist poses a risk of pulmonary disease such as chronic inflammation.			
Aspiration	may lead to chemical pneumonitis.			

HMIS: H=0, F=1, R=0 See Section 8 for PPE information

### **SECTION 4: First Aid Measures**

Eye:	Flush eyes with copious amount of water for at least 15 minutes.
Skin:	If hot, submerge clothing/skin in cold water. Seek medical attention if
	irritation persists.
Ingestion:	Seek medical attention or contact the poison control center.
Inhalation:	Do not induce vomiting. If vomiting occurs, lower head below knees to
	avoid aspiration.

# Mineral Oil MSDS Page 1 of 3

# **SECTION 5: Fire Fighting Measures**

: Use water fog, alcohol foam, dry chemical or CO2
Containers exposed to intense heat from fires should be cooled
with large amounts of water to prevent buildup of internal
pressure due to vapor generation which could result in container
rupture.
Clear area of unprotected personnel. Wear complete turnout gear.
Cool containers exposed to fire with water.
Use of water directly could cause frothing

#### **SECTION 6: Accidental Release Measures**

Large Spills:	Eliminate all ignition sources. Contain source of spill. Dike or	
	otherwise confine spilled product. Uncontrolled releases to air, land, or	
	water may be reportable to the National Response Center (1-800-424-	
	8802).	
Small Spills:	Wash with water or absorb spill and dispose of absorbent material	
	properly.	

## **SECTION 7: Handling and Storage**

Storage Requirements:	Store in tightly closed containers in a cool, dry area away from
	heat and other possible ignition sources.
Handling precautions:	Maintain appropriate class of fire extinguishers (B) nearby in case
	of fire.

## **SECTION 8: Exposure Controls / Personal Protection**

OSHA PEL = 5 mg/m3

OSHA STEL= 10mg/m3 (oil mist)

**Recommended Engineering Controls:** Use ventilation equipment to maintain the PEL **Recommended Admin Controls:** Train employees on the hazards of oils

**PPE:** Goggles, gloves when handling large amounts

**Recommended Hygiene Practices:** Clean PPE and work clothing contaminated with mineral oil prior to reuse. After working with this product, be sure to wash before eating, smoking, drinking, or applying cosmetics.

# **SECTION 9: Physical and Chemical Properties**

	v	▲	
Appearance:	Clear oily liquid	Freezing Point: No Data	Autoignition: N/A
Odor:	"Oily"	Water Solubility: Negligible	LEL: N/A
<b>Odor Threshol</b>	d: Not Available	Molecular Weight: N/A	UEL: N/A
Vapor Pressure	e: <1 mmHg @ 70 <sup>0</sup> F	Specific Gravity: 0.875	Vapor Density: N/A
<b>Boiling Point</b> :	650 <sup>0</sup> F	Flash Point: 435° F TAG	

## **SECTION 10: Stability and Reactivity**

Stability:	Stable
Polymerization:	Will not occur
Conditions to avoid:	Heat, sparks, and open flame
Hazardous Products: of Decomposition	CO and unidentified organic compounds may be formed

Mineral Oil MSDS Page 2 of 3

### **SECTION 11: Toxicological Information**

LD50: >5 g/kgLC50: N/ALDL0: N/ACarcinogenicity:Not identified as a carcinogen by OSHA, IARC, or NTPMutagenicity:Not IndicatedReproductive Effects:Not Indicated

### **SECTION 12: Ecological Information**

**Ecotoxicity:** N/A **Environmental Fate:** N/A **Soil Absorption/Mobility:** Mildly Mobile **Environmental Degradation:** No Data

#### **SECTION 13: Disposal Considerations**

Disposal: Contact your supplier or a licensed contractor for detailed recommendations. Disposal Regulatory Requirements: Follow applicable Federal, state and local regulations

## **SECTION 14: Transport Information**

Shipping Name: Mineral Oil, Non Hazardous

## **SECTION 15: Regulatory Information**

RCRA Hazardous Waste Number/Classification: N/A CERCLA Substance: N/A CERCLA Reportable Quantity: 10,000 lbs (Default) SARA 311/312 Codes: N/A SARA Toxic Chemical: Contains Materials listed on TSCA inventory

# **SECTION 16: Other Information**

Prepared by: Cumberland Swan

Sources of Information:29CFR1910.1000;NIOSH Pocket Guide to Chemical Hazards (1993); Occupational Health Guidelines for Chemical Hazards;NFPA Guide to Hazardous Materials - 10th Edition.

Disclaimer: While reasonable care has been taken to ensure the accuracy and completeness of the information regarding the material described herein, it is the purchaser's responsibility to ensure the suitability of such information as it applies to the purchaser's intended use of the material.

## Mineral Oil MSDS Page 3 of 3