

MATERIAL SAFETY DATA SHEET

4-1240 SPRAY ADHESIVE

OBSOLETE

Revision Date:10/22/99

Section I - Product Identification

Manufacturer's Name	Emergency Phone Number (24 Hours)
Claire Manufacturing	CHEMTREC @ (800)424-9300
Street Address	MSDS Request Phone Number:
500 Vista Avenue	1-800-752-5139, Ext. 2745
City, State, Zip Code	For MSDS via Fax: 1-800-995-0088
Addison, Illinois 60101	Date Prepared: October 22, 1999
Product Use: OFFSET PRINTING	Prepared By: Jill Kngiht
Chemical Name, Trade Name, Synonyms: N.A.	

HMIS RATING

1 - Health 4 - Flammability 0 - Reactivity B - Personal Protection

Section II - Hazardous Ingredients

Hazardous Components	CAS NO.	% WT.	Exposure Limits		
			OSHA PEL	ACGIH TLV	OTHER
HEPTANE	142-82-5	25-30	400ppm	400ppm	
CYCLOHEXENE	110-82-7	5-10	300ppm	300ppm	
DIMETHYLETHER	115-10-6	10-20	1000ppm	1000ppm	
ALIPHATIC PETROLEUM SOLVENT	64742-89-8	5-10	300ppm	300ppm	
DIETHYLENE GLYCOL N-BUTYL ETHER	112-34-5	1-2	N.D.	N.D.	
LIQUIFIED PETROLEUM GAS	68476-85-7	20-30	1000ppm	1000ppm	

Section III - Physical Data

Boiling POINT(F): N.A.	pH: N.A.
Vapor Pressure(mm Hg): 130@130(F)	Freezing Point(F): N.A.
Vapor Density (AIR = 1): > 1	% Volatile By Volume: 100
Specific Gravity (H2O=1):< 1	Color And Odor: TRANSLUCENT/PETROLEUM DISTILLATE ODOR
Odor Threshold: N.D.	Physical State: LIQUID
Evaporation Rate (ETHER = 1): <1	
Solubility in Water: NEGLIGIBLE	

Section IV - Fire and Explosion Hazard Data

FLASH POINT (METHOD USED):	Flammable Limits: PROPELLANT
FLAMMABLE MATERIAL	LEL: 1.8 UEL: 9.2
Auto-ignition Temperature: N.D.	
Extinguishing Media: FOAM/CO2/DRY CHEMICAL.	

Special Fire Fighting Procedures: CONTAINERS SHOULD BE COOLED WITH WATER TO PREVENT VAPOR PRESSURE BUILD UP. USE EQUIPMENT OR SHIELDING, AS REQUIRED TO PROTECT PERSONNEL, FROM BURSTING, RUPTURING OR VENTING CONTAINERS.

Unusual Fire And Explosion Hazards: AT ELEVATED TEMPERATURES (OVER 54C = 130F) CONTAINERS EXPOSED TO DIRECT FLAME OR HEAT SHOULD BE COOLED WITH WATER TO PREVENT WEAKENING OF CONTAINER STRUCTURE.

Section V - Reactivity Data

Stability: Unstable Stable X
Conditions to Avoid: DO NOT STORE ABOVE 54C-130 (F). KEEP AWAY FROM HEAT, DIRECT SUNLIGHT, OPEN FLAMES OR SPARKS. DROPPING OF CONTAINERS MAY CAUSE BURSTING.

MATERIAL SAFETY DATA SHEET**OBSOLETE**

4-1240 SPRAY ADHESIVE

Revision Date:10/22/99

Incompatibility (Materials to Avoid): OXIDIZING AGENTS, STRONG ACIDS.

Hazardous Decomposition Products: CARBON DIOXIDE, CARBON MONOXIDE

Hazardous Polymerization: May Occur _____ Will Not Occur _____
Conditions to Avoid: SEE ABOVE.**Section VI - Health Hazard Data (Acute and Chronic)**

Primary Route(s) of Entry: SKIN, EYES, INHALATION, INGESTION.

Oral Ingestion: IF INGESTED DO NOT INDUCE VOMITING. IF VOMITING OCCURS, KEEP HEAD BELOW
HIPS TO PREVENT ASPIRATION OF LIQUID INTO LUNGS.

Eye Contact: EXPOSURE MAY CAUSE MILD IRRITATION.

Skin Contact: PROLONGED OR REPEATED CONTACT MAY LEAD TO DRYING, IRRITATION AND DERMATITIS.

Inhalation: EXCESSIVE INHALATION MAY CAUSE NASAL AND RESPIRATORY IRRITATION, INCLUDING
DIZZINESS, NAUSEA AND HEADACHES.

Effects of Overexposure:

Medical Conditions Generally Aggravated by Exposure: PREEXISTING SKIN OR EYE DISORDERS MAY
BE AGGRAVATED BY EXPOSURE TO THIS PRODUCT.

Carcinogenicity: NOT KNOWN TO BE CARCINOGENIC.

FIRST AID PROCEDURES

Ingestion: GET MEDICAL ATTENTION IMMEDIATELY.

Eye: FLUSH IMMEDIATELY WITH WATER FOR 15 MINUTES. IF IRRITATION PERSISTS,
CONSULT A PHYSICIAN.

Skin: WASH WITH SOAP AND WATER. IF IRRITATION OCCURS, SEEK MEDICAL ATTENTION.

Inhalation: REMOVE TO FRESH AIR AND PROVIDE OXYGEN IF BREATHING IS DIFFICULT. GIVE
ARTIFICIAL RESPIRATION IF NOT BREATHING. CONSULT A PHYSICIAN.**Section VII - Toxicology Information**

Ingredient	Inhalation	Oral	Dermal
	LC50	LD50 (RATS)	LD50 (RABBITS)
HEPTANE		ND	
CYCLOHEXENE		12705MG/KG	
DIMETHYLETHER		ND	
ALIPHATIC PETROLEUM SOLVENT		ND	
DIETHYLENE GLYCOL N-BUTYL ETHER		ND	
LIQUIFIED PETROLEUM GAS		ND	

Section VIII - Spill or Leak ProcedureSteps to be taken in case material is released or spilled: REMOVE ALL SOURCES OF
IGNITION AND VENTILATE AREA. SOAK UP SPILL WITH AN INERT ABSORBENT AND PLACE INTO A
DESIGNATED DISPOSAL CONTAINER. CONSULT LOCAL REGULATORY AGENCY FOR PROPER DISPOSITION
OF MATERIAL.Disposal Method: IN ACCORDANCE WITH LOCAL, STATE AND FEDERAL REGULATIONS.
DO NOT PUNCTURE OR INCINERATE CONTAINERS.**Section IX - Special Protection Information**Ventilation: LOCAL EXHAUST IS ADEQUATE UNDER NORMAL CONDITIONS. MECHANICAL VENTILATION
IS OPTIONAL.

Respiratory Protection: NONE UNDER NORMAL USE. AVOID BREATHING VAPORS.

MATERIAL SAFETY DATA SHEET**OBSOLETE**

4-1240 SPRAY ADHESIVE

Revision Date:10/22/99

Protective Clothing: WEAR NEOPRENE OR OTHER CHEMICAL-RESISTANT GLOVES.

Eye Protection: CHEMICAL WORKERS GOGGLES.-----
Other Protective Equipment: WEAR NEOPRENE OR OTHER CHEMICAL-RESISTANT APRON OR COVERALLS AS NEEDED TO PREVENT REPEATED OR PROLONGED SKIN CONTACT.**Section X - Special Precautions**

Precautions to be taken in Handling and Storing: KEEP AWAY FROM HEAT AND FLAME. DO NOT PUNCTURE OR INCINERATE CONTAINERS. DO NOT EXPOSE TO DIRECT SUNLIGHT OR STORE AT TEMPERATURES ABOVE 130F (54C).DO NOT TAKE INTERNALLY. DO NOT SPRAY IN EYES. SEE PRODUCT LABEL FOR ADDITIONAL INFORMATION. DO NOT PUNCTURE OR INCINERATE (BURN) CANS. AVOID BREATHING VAPORS.

Other Precautions: PLEASE READ AND FOLLOW THE DIRECTIONS ON THE PRODUCT LABEL; THEY ARE YOUR BEST GUIDE TO USING THIS PRODUCT IN THE MOST EFFECTIVE WAY, AND GIVE THE NECESSARY SAFETY PRECAUTIONS TO PROTECT YOUR HEALTH.**Section XI - Transportation Information**

Hazard Class: Label:
DOT Proper Shipping Name:

Section XII - Regulatory Information

CERCLA/SUPERFUND,40 CFR 117,302:

SARA(TITLE III) - Section 313:CYCLOHEXENE (CAS#110-82-7),ALIPHATIC PETROLEUM SOLVENT (CAS#64742-89-8),DIETHYLENE GLYCOL N-BUTYL ETHER (CAS#112-34-5)

Section 302 Extremely Hazardous Substances (40 CFR 355):

Section 311 and 312 MSDS Submission and Inventory Reporting (40 CFR 370):

Section 313 Toxic Chemical Release Reporting (40 CFR 372):

TOXIC SUBSTANCES CONTROL ACT (TSCA):

California Proposition 65:

Section XIII - Addition Information

NONE

N.D. = No Data N.A. = Not Applicable

The information herein given in good faith but no warranty, express or implied, is made.