istributor	PRODUCT IDENTIFI			Eman &	
ddress	Airex Laboratories	roft DA 10020		Emergency Phone	610-534-8900
rade Name	1640 Delmar Drive Folce	roit, PA 19032		Dreduct Two	
	AIRX 60 HAZARDOUS INGRE	DIENTE		Product Type	Odor Counteractant
	HEMICAL NAME/COMM				
sopropyl Alcohol	ILINIONE NAME/OVWIN		CAS NO. 67-63-0	PERCENT(optional)	TLV(Source)
			07-03-0		400 ppm TWA(OSHA); 400 ppm (ACGIH)
har ingradiante in	Ale is a set of the				
her ingredients in		Less than 1% by weight or less	s than 0.1% for carcin	nogens 🛛 🗶 Not	hazardous Teclared to be Trade S
ECTION 3 - piling point(°F.	PHYSICAL DATA	Providing Provide (1999) of the			
por Pressure	Nedi ZIZ	Specific Gravity(H20=1.0)	(± 0.005)	0.300	(± 0.5) 7.5
lubility in wat		Unknown	Vapor Density(/		Unknown
aporation Rate	outplote	Insoluble Faster	Emulsifiable (c		Slight (or Partial)
pearance and	Oder		Slower	About	the Same
ECTION 4 -	Liquid, pleasant od				
ash Point(Meth	hod Used) Greater than 100	°F.(T.C.C.) None to Boiling(T.C.C	C.) Flammable Lin	mits Upper Linknown	Lower
tinguishing Me	1. (DOT)	, foam, water spray		nits Upper Unknown	Unknown
ecial Firefight		enter confined fire-spaces without prote	ective clothing and self	f-contained air supply. Cool fire	a pypagad containers
usual Fire and		ne known.	serve clourning and sen	r-contained air suppry. Coor nit	e exposed containers.
	REACTIVITY DATA				
LCIION 5 - I	ACACIIVIII DAIA				
		Incompatibility Strong o	vidizers		
ability Stabl	e			ccur during incomplete combus	tion.
ability _{Stabl} zardous Decor ECTION 6 -	e mposition Products _C HEALTH HAZARDS	arbon monoxide and other unidentified		ccur during incomplete combus	tion.
ability _{Stabl} azardous Decor ECTION 6 - imary Routes o	e mposition Products _C HEALTH HAZARDS f Exposuro	arbon monoxide and other unidentified	organic gases may or		halation Other
ability _{Stabl} azardous Decor ECTION 6 - imary Routes o gns	e mposition Products C HEALTH HAZARDS f Exposure Eyes: liquid or vapor can caus	Eye Skin se slight to moderate irritation. Skin: n	organic gases may or Total Oral	In Contact can cause drugess and	halation Other
ability Stabl azardous Decou ECTION 6 - imary Routes o gns d Symptoms	e mposition Products C HEALTH HAZARDS f Exposure Eyes: liquid or vapor can caus	Eye Skin se slight to moderate irritation. Skin: n	organic gases may or Total Oral	In Contact can cause drugess and	halation Other
ability Stabl Dzardous Decor ECTION 6 - imary Routes o gns d Symptoms Overexposure cute)	e mposition Products C HEALTH HAZARDS of Exposure D Eyes: liquid or vapor can caus drowsiness or loss of conscio	Eye Skin se slight to moderate irritation. Skin: p busness. Stomach cramps, pain, nause	organic gases may or Total Oral	In Contact can cause drugess and	halation Other
ability Stabl ECTION 6 - imary Routes o Jns d Symptoms Overexposure sute) Jns and Sympt	e mposition Products C HEALTH HAZARDS f Exposure Eyes: liquid or vapor can caus	Eye Skin se slight to moderate irritation. Skin: p pusness. Stomach cramps, pain, nause	organic gases may or Total Oral	In Contact can cause drugess and	halation Other
ability Stability Stability Izardous Decou ECTION 6 - imary Routes o jns d Symptoms Overexposure sute) jns and Sympt dical Conditions arvated by Overe	e mposition Products C HEALTH HAZARDS of Exposure Eyes: liquid or vapor can caus drowsiness or loss of conscid oms of Overexposure(Cl exposure Not known.	Eye Skin se slight to moderate irritation. Skin: p pusness. Stomach cramps, pain, nause	organic gases may or The organic gases may organic organic gases may orga	In Contact can cause drugess and	halation Other irritation. Ingestion of large quantities may cause ation of respiratory tract, headache, nausea.
ability Stability Stability ECTION 6 - imary Routes of Jns d Symptoms Overoxposure cuto) Jns and Sympt dical Conditions ravated by Overos CTION 7 -	e mposition Products C HEALTH HAZARDS of Exposure Eyes: liquid or vapor can caus drowsiness or loss of conscid oms of Overexposure(Cl exposure Not known.	Eye Skin se slight to moderate irritation. Skin: p pusness. Stomach cramps, pain, nause	organic gases may or The organic gases may organic organic gases may orga	In contact can cause dryness and nea may occur. Inhalation: irrita	halation Other irritation. Ingestion of large quantities may cause stion of respiratory tract, headache, nausea.
ability Stabl ECTION 6 - imary Routes o gns d Symptoms Overexposure cute) gns and Sympt dical Conditions revailed by Overe ECTION 7 - I es Flush	e mposition Products C HEALTH HAZARDS f Exposure Eyes: liquid or vapor can cau: drowsiness or loss of conscid oms of Overexposure(Cl exposure Not known. EMERGENCY AND F	Subing of Satong of S	organic gases may or The organic gases may organic organic gases may orga	In contact can cause dryness and nea may occur. Inhalation: irrita	halation Other irritation. Ingestion of large quantities may cause ation of respiratory tract, headache, nausea.
ability Stabl ECTION 6 - imary Routes o Jas d Symptoms Overexposure sute) Jas and Sympt dical Conditions revated by Overe CCTION 7 - 1 S Flush in Wash	e mposition Products C HEALTH HAZARDS f Exposure Eyes: liquid or vapor can caus drowsiness or loss of conscid oms of Overexposure(Cl paposure Not known. EMERGENCY AND F immediately with water for at 1	Subing of Satisfies of Sat	organic gases may or Total prolonged or repeated ra, vomiting and diarrh Carcin	In contact can cause dryness and nea may occur. Inhalation: irrita ogen/Suspect Carcinoge	halation Other irritation. Ingestion of large quantities may cause tion of respiratory tract, headache, nausea. n Ingredients NTP OSHA IARC
ability Stabl ECTION 6 - imary Routes o gas d Symptoms Overexposure cuto) gas and Sympt dical Conditions CTION 7 - I es Flush in Wash estion Do NC	e mposition Products C HEALTH HAZARDS of Exposure Eyes: liquid or vapor can caus drowsiness or loss of conscid oms of Overexposure(Cl exposure Not known. EMERGENCY AND F immediately with water for at 1 thoroughly with soap and wate	Subing of arbon monoxide and other unidentified Eye Skin se slight to moderate irritation. Skin: pousness. Stomach cramps, pain, nause Mone known. IRST AID PROCEDURES least 15 minutes. Call a physician. er. Remove contaminated clothing and v	organic gases may or Total prolonged or repeated ta, vorniting and diarrh Carcin wash before reuse. If p	In contact can cause dryness and nea may occur. Inhalation: irrita ogen/Suspect Carcinoge persistent irritation occurs, call	halation Other irritation. Ingestion of large quantities may cause tion of respiratory tract, headache, nausea. n Ingredients NTP OSHA IARC
ability Stabl Azardous Decou ECTION 6 - imary Routes o gns d Symptoms Overexposure cuto) gns and Sympt dical Conditions A Sympt dical Conditions Flush in Wash gestion Do NC calation Remov	e mposition Products C HEALTH HAZARDS of Exposure Eyes: liquid or vapor can cau: drowsiness or loss of conscid oms of Overexposure(Cl exposure Not known. EMERGENCY AND F immediately with water for at I thoroughly with soap and wate DT induce vomiting. If vomiting we exposed person to fresh air.	Subique Subique Subique Subique Satisfies Seinante entribution Subique Subique	organic gases may or The organic gases may or orolonged or repeated the organic gases orolonged or repeated the organic gases organic g	In contact can cause dryness and nea may occur. Inhalation: irrita ogen/Suspect Carcinoge persistent irritation occurs, call	halation Other irritation. Ingestion of large quantities may cause tion of respiratory tract, headache, nausea. n Ingredients NTP OSHA IARC
ability Stabl acardous Decou ECTION 6 - imary Routes o gns d Symptoms Overexposure cute) gns and Sympt dical Conditions fical Conditions Flush in Wash pestion Do NC balation Remov	e mposition Products C HEALTH HAZARDS	Subique Subique Subique Subique Satisfies Seinante entribution Seinante entribution Seinante entribution Seinante entribution Seinante entribution None known IRST AID PROCEDURES least 15 minutes. Call a physician. er. Remove contaminated clothing and v g occurs, keep head below hips to preve Treat symptomatically. Call a physician	organic gases may or The organic gases may or orolonged or repeated the organic gases orolonged or repeated the organic gases organic g	In contact can cause dryness and nea may occur. Inhalation: irrita ogen/Suspect Carcinoge persistent irritation occurs, call	halation Other irritation. Ingestion of large quantities may cause tion of respiratory tract, headache, nausea. n Ingredients NTP OSHA IARC
ability Stabl acardous Decou ECTION 6 - imary Routes o gns d Symptoms Overexposure cuto) gns and Sympt dical conditions ECTION 7 - I es Flush in Wash jestion Do NC cutalation Remov ECTION 8 - S spiratory Prote	e mposition Products C HEALTH HAZARDS f Exposure Eyes: liquid or vapor can cau: drowsiness or loss of conscid oms of Overexposure(Cl exposure Not known. EMERGENCY AND F immediately with water for at I thoroughly with soap and wate DT induce vomiting. If vomiting ve exposed person to fresh air. EPECIAL PROTECTION	Subique Subique Subique Subique Satisfies Seinante entribution Seinante entribution Seinante entribution Seinante entribution Seinante entribution None known IRST AID PROCEDURES least 15 minutes. Call a physician. er. Remove contaminated clothing and v g occurs, keep head below hips to preve Treat symptomatically. Call a physician	organic gases may or The organic gases may or orolonged or repeated the organic gases orolonged or repeated the organic gases organic g	In contact can cause dryness and nea may occur. Inhalation: irrita ogen/Suspect Carcinoge persistent irritation occurs, call	halation Other irritation. Ingestion of large quantities may cause tion of respiratory tract, headache, nausea. n Ingredients NTP OSHA IARC
ability Stabil Datardous Decolor ECTION 6 - imary Routes o gns d Symptoms Overexposure cute) gns and Sympt dicar Conditions gravated by Overe ECTION 7 - I os Flush in Wash estion Do NC calation Remov ECTION 8 - S spiratory Prote ntilation Requi	e mposition Products C HEALTH HAZARDS f Exposure Eyes: liquid or vapor can cau: drowsiness or loss of conscid oms of Overexposure(Cl exposure Not known. EMERGENCY AND F immediately with water for at 1 thoroughly with soap and wate DT induce vomiting. If vomiting ve exposed person to fresh air. SPECIAL PROTECTIO Not needed under immediately in the local Epicetion Not needed under immediately in the local Epicetion Not needed under		organic gases may or Carcin wash before reuse. If p ent aspiration into lung n. Other	In contact can cause dryness and hea may occur. Inhalation: irrita ogen/Suspect Carcinoge persistent irritation occurs, call gs. Call a physician.	halation Other irritation. Ingestion of large quantities may cause tion of respiratory tract, headache, nausea. n Ingredients NTP OSHA IARC
ability Stabl Azardous Decou ECTION 6 - imary Routes o gns d Symptoms Overoxposure cuto) gns and Sympt dical Conditions revated by Overo ECTION 7 - 1 os Flush in Wash pestion Do NC balation Remo ECTION 8 - S spiratory Protection miliation Requi bootective Gloves	e mposition Products C HEALTH HAZARDS F Exposure Exposure Eyes: liquid or vapor can cau: drowsiness or loss of conscid oms of Overexposure(Cl exposure Not known. EMERGENCY AND F immediately with water for at I thoroughly with soap and wate DT induce vomiting. If vomiting ve exposed person to fresh air SPECIAL PROTECTION Not needed under rements Rubber Eye Prot		organic gases may or Carcin wash before reuse. If p ent aspiration into lung n. Other	In contact can cause dryness and hea may occur. Inhalation: irrita ogen/Suspect Carcinoge persistent irritation occurs, call gs. Call a physician.	halation Other irritation. Ingestion of large quantities may cause tion of respiratory tract, headache, nausea. n Ingredients NTP OSHA IARC
ability Stabil azardous Decou ECTION 6 - imary Routes o gns d Symptoms Overexposure cute) gns and Sympt dical Conditions gravated by Overe ECTION 7 - I os Flush in Wash gestion Do NC calation Remo ECTION 8 - S spiratory Prote ntilation Requi otoctivo Gloves	e mposition Products C HEALTH HAZARDS f Exposure Eyes: liquid or vapor can cau: drowsiness or loss of conscid oms of Overexposure(Cl exposure Not known. EMERGENCY AND F immediately with water for at I thoroughly with soap and wate DT induce vomiting. If vomiting we exposed person to fresh air. SPECIAL PROTECTIO SPECIAL PROTECTIO Cotion Not needed under rements Local Ep Rubber Eye Prot PILL OR LEAK PRO	Subique Subique Subique Subique Satisfies Se slight to moderate irritation. Skin: pousness. Stomach cramps, pain, nause Subique State and other unidentified Se slight to moderate irritation. Skin: pousness. Stomach cramps, pain, nause Subique Se slight to moderate irritation. Skin: pousness. Stomach cramps, pain, nause Subique Se slight to moderate irritation. Skin: pousness. Stomach cramps, pain, nause Subique Se slight to moderate irritation. Skin: pousness. Stomach cramps, pain, nause Subique Se slight to moderate irritation. Skin: pousness. Stomach cramps, pain, nause Subique Se slight to moderate irritation. Skin: pousness. Stomach cramps, pain, nause Subique State and stomach cramps, pain, nause Se slight to moderate irritation. Skin: pousness. Stomach cramps, pain, nause Se slight to moderate irritation. Subique State and stomach cramps, pain, nause Subique State and stomach cramps, pain, nause Se slight to moderate irritation. Subique State and stomach cramps, pain, nause State and stomach cramps, pain, nause	organic gases may or Corel orolonged or repeated ta, vorniting and diarrh Carcin Wash before reuse. If p ent aspiration into lung n. Other Other Pr	In contact can cause dryness and hea may occur. Inhalation: irrita ogen/Suspect Carcinoge persistent irritation occurs, call gs. Call a physician.	halation Other irritation. Ingestion of large quantities may cause a physician.
ability Stabl Azardous Decou ECTION 6 - imary Routes o gns d Symptoms Overexposure cuto) gns and Sympt dical Conditions Flush in Wash estion Do NC calation Remoi CTION 8 - S spiratory Protection tilation Requi otocctivo Gloves CTION 9 - S pys to be Taken	e mposition Products C HEALTH HAZARDS f Exposure Eyes: liquid or vapor can cau: drowsiness or loss of conscid oms of Overexposure(Cl paposure Not known. EMERGENCY AND F immediately with water for at 1 thoroughly with soap and wate DT induce vomiting. If vomiting ve exposed person to fresh air SPECIAL PROTECTION Not needed under rements Local ED Rubber Eye Prot Rubber Eye Prot Eliminate sources		organic gases may or Corel orolonged or repeated ta, vorniting and diarrh Carcin Wash before reuse. If p ent aspiration into lung n. Other Other Pr	In contact can cause dryness and hea may occur. Inhalation: irrita ogen/Suspect Carcinoge persistent irritation occurs, call gs. Call a physician.	halation Other irritation. Ingestion of large quantities may cause a physician.
ability Stabil Azardous Decou ECTION 6 - imary Routes o gns d Symptoms Overexposure cute) gns and Sympt dical Cenditions Flush in Wash gestion Do NC CTION 7 - I es Flush in Wash gestion Do NC CTION 8 - S spiratory Prote ntilation Requi Decetive Gloves CTION 9 - S sps to be Taken Released or Spi	e mposition Products C HEALTH HAZARDS f Exposure Eyes: liquid or vapor can cau: drowsiness or loss of conscid oms of Overexposure(Cl exposure Not known. EMERGENCY AND F immediately with water for at I thoroughly with soap and wate DT induce vomiting. If vomiting ve exposed person to fresh air. SPECIAL PROTECTIO Not needed under rements Local ED Rubber Eye Prot Rubber Eliminate sources	Subique S	organic gases may or Carcin wash before reuse. If pent aspiration into lung n. Other Provide the pent of the p	In contact can cause dryness and hea may occur. Inhalation: irrita ogen/Suspect Carcinoge persistent irritation occurs, call gs. Call a physician.	halation Other irritation. Ingestion of large quantities may cause a physician.
tability Stability azardous Decore azardous Decore timary Routes o gns Symptoms Overexposure Overexposure cuto) gns and Sympt ducal condition Symptoms ducal condition Flush ducal condition Do NC tim Wash gestion Do NC halation Removies ECTION 8 - S Sepiratory Protocontiliation Require otective Glovere CTION 9 - S ops to be Taken Reloased or Spirato Spiratory Spiratory	e mposition Products C HEALTH HAZARDS f Exposure Eyes: liquid or vapor can cau: drowsiness or loss of conscid oms of Overexposure(Cl exposure Not known. EMERGENCY AND F immediately with water for at I thoroughly with soap and wate DT induce vomiting. If vomiting ve exposed person to fresh air. EPECIAL PROTECTIO Not needed under rements Local Ep Rubber Eye Prot Eliminate sources IIIed Elthods Dispose of in acc	Subique S	organic gases may or Carcin wash before reuse. If pent aspiration into lung n. Other Provide the pent of the p	In contact can cause dryness and hea may occur. Inhalation: irrita ogen/Suspect Carcinoge persistent irritation occurs, call gs. Call a physician.	halation Other irritation. Ingestion of large quantities may cause a physician.
tability Stabil azardous Decor ECTION 6 - gns d Symptoms Overoxposure cuto) gns and Sympt ducar Conditions ducar Conditions ducar Conditions ECTION 7 - lites Flush tin Wash gestion Do MC halation Remov ECTION 8 - S ospiratory Proto initiation Requi otoctive Gloves CTION 9 - S ospis to be Taken Reloased or Spi aste Disposal W	e mposition Products C HEALTH HAZARDS f Exposure Eyes: liquid or vapor can cau: drowsiness or loss of conscid oms of Overexposure(Cl exposure Not known. EMERGENCY AND F immediately with water for at I thoroughly with soap and wate DT induce vomiting. If vomiting ve exposed person to fresh air. SPECIAL PROTECTIO Not needed under rements Local ED Rubber Eye Prot Rubber Eliminate sources illed Ethods Dispose of in acc STORAGE AND HAN	Subique S	organic gases may or	In contact can cause dryness and nea may occur. Inhalation: irritz ogen/Suspect Carcinoge persistent irritation occurs, call gs. Call a physician. etective Clothing May to puld be collected for disposal.	halation Other irritation. Ingestion of large quantities may cause a Ingredients NTP OSHA IARC a physician.

DATE PREPARED March 16, 1997