

# MATERIAL SAFETY DATA SHEET

	MATERIAL SAI	TETT DATA SHEET		
1. PRODUCT AND CO		ATION		
Product Name: RTA 50 /	ACCUSATION OF THE PROPERTY OF			
Synonyms: Two part II So	ealing System			
Manufacturer/Supplier		Phone Nui		
Carlisle Coatings & Water 900 Hensley Lane	erproofing Incorporated		Emergency:	
Wylie, TX 75098			REC (USA): (800) 424-9300	
	//www.ccwcompanies.c	OM/ CHEMII	REC (International): sistance: (972) 442-6545	
Fax Number: (972) 442-			emand: NA	
		Technica	l Assistance: (888) 229-2199	
		Custome	r <b>Service:</b> (888) 229-0199	
2 COMPONENT INE	ODMATION			
2. COMPONENT INFO		Danasut Danas	Hamandana in Dland	
Component	CAS No.	Percent Range	Hazardous in Blend	
Ethylene Glycol	107-21-1	0.5 - 2		
This product is not hazar Hazards:	rdous according OSHA	29 CFR 1910.1200.		
Flammable/Combustible	e No Acute	No Chronic	No Carcinogen No	
	Toxin	Toxin	in emogen in	
Pressure No Reactive	e No Exposure L	imit Target Or	gan Other	
Economic Company (Company Company Comp		- The second		
2A. OTHER INGREDII	ENTS Greater than 3%			
Comp	onent		CAS No.	
Latex Co	p-polymer		Mixture	
Calcium (	Carbonate		1317-65-3	
Cl	lay	1332-58-7		
3. HAZARDS IDENTI	FICATION			
Emorgonov and Hagards	Overview			
Emergency and Hazards		mful if swallowed Pee	d and understand all health and	
safety information on the				
safety information on the p	product label and Wateria	i Salety Data Silect bere	ore use.	
Ratings				
0	lity 0 Reactivity	0		
MANAGEMENT				
Primary Route of Exposi	ure: Skin x Inhalation	x Eye x Ingestion x		
Health Effect Informatio Eye Contact: May caus	on se eye irritation if wiped o	r rubbed into eyes.		
Skin Contact: May cau	se mild skin irritation on	prolonged or repeated c	ontact.	
respiratory tract.	nigh concentrations of vap Respiratory symptoms as posure to this material.		t irritation of nose, throat, & ng lung disorders may be	
<b>Ingestion:</b> Ingestion of large quantity may cause initial central nervous system stimulation, followed by depression.				

Issued: 05/15/08 Supersedes: 08/15/06 Page 1 of 6



**Medical Conditions Aggravated by Exposure:** Prolonged exposure to vapors could aggravate pre-existing disorders in lungs, kidney and liver.

# 4. FIRST AID INFORMATION

**Eve Contact:** Flush with water for 15 minutes. Get medical attention immediately.

**Skin Contact:** Wipe off and wash skin with soap and water. Promptly remove contaminated clothing and wash before reuse.

**Inhalation:** Remove to fresh air. If breathing has stopped, start artificial respiration. Oxygen may be administered. Consult physician immediately

**Ingestion:** Do not induce vomiting unless directed to do so by a physician. Consult a physician immediately.

**Notes to Physician:** This product contains ethylene glycol, Hexahydro-1, 3,5-triethyl-s-triazine (not in a reportable amount).

#### 5. FIRES AND EXPLOSION INFORMATION

Flammable Properties

Flash Point: No flash to boiling

Flame extension: NA

Test Method: Closed cup
Test Method: NA

Flammable Limits in Air Upper Percent: NA Lower Percent: NA

Auto ignition Temperature: NA Test Method: NA

NFPA Classification: H 1 F 0 R 0

Extinguishing Media: CO<sub>2</sub>, foam, dry chemical or water spray.

Fire Fighting Measures

Special Fire Fighting Procedures and Equipment: Firemen must wear full-face air-supplied masks and

full protective clothing.

Unusual Fire and Explosion Conditions: This product is not sensitive to physical shock or static discharge. Exposure of closed container to temperatures above the boiling point could cause pressure buildup and container rupture.

Hazardous Combustion By-Products: CO, CO<sub>2</sub>, unburned hydrocarbons, or nitrous oxides.

# 6. ACCIDENTAL RELEASE MEASURES

**Personnel Safeguards:** Evacuate non-essential personnel to safe areas. Clean-up responders should wear proper protective clothing and gloves before entering the affected area.

Regulatory Notifications: Certain component of this product is defined as hazardous according to U.S.

EPA. Spill reporting requirements and reportable quantities vary by region. Consult all applicable state and local regulations. For Canada, observe all

precautions noted above.

Issued: 05/15/08 Supersedes: 08/15/06 Page 2 of 6



Containment and Clean up: Prevent product from entering drinking water supplies or streams. Observe above precautions, collect liquid with inert, noncombustible material and remove for disposal.

# 7. HANDLING AND STORAGE INFORMATION

**Handling:** Normal use condition doesn't produce respirable Silica. However, sanding, grinding, and burning might release respirable Silica. Keep out of reach of children. Launder contaminated clothing. Wash hands with soap and water after use, especially before eating or drinking.

**Storage:** Store in a dry, well ventilated environment away from heat, above 35 deg F and below 110 deg F. Keep containers closed when not in use. Do not pressurize, cut weld or grind containers.

# **Empty Container Warnings**

**Drums:** Drums may be reused after wash.

Plastic: Plastic containers may be reused after wash.

# 8. EXPOSURE CONTROLS / PERSONAL PROTECTION INFORMATION

# **Exposure Limits and Guidelines**

Component	CAS No.	Exposure Limit
Ethylene Glycol	107-21-1	50 ppm OSHA PEL/Ceiling

## Personal Protective Equipment

Eye/Face Protection: Wear safety goggles or face shield. Contact lenses should not be worn.

Skin Protection: Use protective rubber gloves (Hycron, neoprene, or nitrile).

Respiratory Protection: Provide adequate ventilation to maintain vapors below PEL/TWA. If vapor

levels are exceeded, use NIOSH approved respirator, both during and immediately after application, until vapor levels are below limits.

**Personal Hygiene:** Avoid rubbing eyes during handling. Use good personal hygiene practices to avoid incidental ingestion.

# **Engineering Controls / Work Practices**

**Ventilation:** Provide local exhaust or area ventilation to maintain concentration of vapors below PEL/TWA.

**Other:** Source of clean water should be available in the work area for flushing eyes and skin. Wash thoroughly with soap and water after use and before eating.

Issued: 05/15/08 Supersedes: 08/15/06

Page 3 of 6



# 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance: White Scalant	Vapor Pressure: 17 mm Hg (a) 20°C	
Odor: Typical latex with slight ammonia odor	Vapor Density (air=1): <air< td=""></air<>	
Physical state: Liquid	Percent Volatile by Weight: 48 – 52	
<b>pH:</b> 8.0 – 9.0	Volatile Organic Content: 130 gpl (water excluded)	
DOT Corrosivity: NA	Molecular Weight: NA	
Boiling Point: 212°F	Average Carbon Number: NA	
Melting Point: NA	Viscosity @ 77 F: 3,000 – 4,000 cps	
Specific Gravity: 1.24		
Pour Point: NA		
Solubility in Water: Miscible with water		
Octanol / Water Coefficient: Log K <sub>ow</sub> = NA		

### 10. STABILITY AND REACTIVITY INFORMATION

Chemical Stability: Stable

Conditions to Avoid: Avoid extreme heat, fire and temperature.

Incompatible Materials to Avoid: Avoid strong acids, strong oxidizers.

# 11. TOXICOLOGICAL INFORMATION (will only print available data)

Ethylene Glycol

Primary Eye Irritation: Irritating Primary Skin Irritation: NA

Acute Dermal Toxicity: Product toxicity has not been determined.

**Subacute Dermal Toxicity:** NA **Dermal Sensitization:** NA

Inhalation Toxicity: Product toxicity has not been determined.

Inhalation Sensitization: NA

Oral Toxicity: Product toxicity has not been determined. Following are component data:

LD<sub>50</sub>, Ethylene Glycol: Rat 4,000 mg/kg

Mutagenicity: NA Carcinogenicity: NA

**Reproductive Toxicity:** Product toxicity has not been determined. Following are component data:

Ethylene Glycol: Pregnant Rat 1.25g/kg and above: increased malformed fetus
Pregnant Mice 750 mg/kg and above: increased malformed fetus

Teratogenicity: NA Immunotoxicity: NA Neurotoxicity: NA

No other toxicological information available

# 12. ECOLOGICAL INFORMATION

Ethylene Glycol

Aquatic Toxicity: Not known Terrestrial Toxicity: Not known

Chemical Fate and Transport: Not known No other ecological information available

Issued: 05/15/08 Supersedes: 08/15/06 Page 4 of 6



#### 13. DISPOSAL INFORMATION

**Regulatory Information:** Consult all regulations (federal, state, provincial, local etc.) or a qualified waste disposal firm when characterizing waste for disposal.

Waste Disposal Methods: Recover free liquid. Absorb residue and dispose of according to local, state and

Federal EPA regulation. Empty container: may contain explosive vapors. Do

Not cut, puncture or weld on or nearby.

## 14. TRANSPORTATION INFORMATION

## U.S. Department of Transportation (DOT)

Highway / Rail: Not regulated by DOT

The DOT description is provided to assist in the proper shipping classification of this product and may not be suitable for all shipping descriptions.

Other: No other information available.

#### 15. REGULATORY INFORMATION

Regulatory Lists

U.S. TSCA Inventory: All components of this material are on the US TSCA Inventory or exempt from listing on the TSCA Inventory.

Sara Section 313: This product contains the following Sara, Title III, Section 313 Chemicals:

<u>Chemical</u>	CAS Number	Percent in Product
Ethylene Glycol	107-21-1	0.5 - 2

IARC Group: NA

## Regulatory Lists Searched

This product contains a mixture of one or more components found on the following State List at or above OSHA de minimis quantities

Health & Safety: NA Environmental: NA International: NA

State: FL, MA, MN, PA, NJ, WA National Inventories: NA

SARA 311 / 312 Categories (For the Chemicals above)

Acute: No Chronic: No Fire: No Pressure: No Reactive: No

Regulated: No

California Proposition 65 Information: Warning! None in the list

# Canadian WHMIS Classification

Class: Not Applicable

This product has been classified in accordance with hazard criteria of the Controlled Products

Issued: 05/15/08 Supersedes: 08/15/06 Page 5 of 6

RTA 50/DT Tape



Regulations (CPR). This MSDS contains all the information required by the CPR.

## Canadian Environmental Protection Act (CEPA)

All reportable chemical substance is listed on the Domestic Substances List (DSL) or otherwise complies with CEPA new substance notification requirements.

# National Pollution Release Inventory (NPRI)

This product contains the following chemical subject to the reporting requirements of the CEPA subsection 16(1), NPRI.

Chemical	CAS Number	Percent in Product
Ethylene Glycol	107-21-1	0.5 - 2

Other Regulations: No other information available.

#### 16. OTHER INFORMATION

### Health and Environmental Label Language

All ingredients contained in this product are included on the US EPA Toxic Substances Control Act (TSCA) inventory or exempt from listing on the TSCA inventory. All ingredients contained in this product comply with the requirements of the Canadian Environmental Protection Act (CEPA) and are listed on the Domestic Substance List (DSL) or Non-Domestic Substance List (NDSL)

**MSDS** Revisions

Previous Version Date: 08/15/06

Section

Old Information:

New Information: Revision to Section 2A

Prepared By: R&D Department Date: 05/15/08

Disclaimer of Warranty: The information contained herein is based upon data and information available to us, and reflects our best professional judgment. This product may be formulated in part with components purchased from other companies. In many instances, especially when proprietary or trade secret materials are used, CCWI Company must rely upon the hazard evaluation of such components submitted by that product's manufacturer or importer. No warranty of merchantability, fitness for any use, or any other warranty is expressed or implied regarding the accuracy of such data or information. The results to be obtained from the use thereof, or that any such use does not infringe any patent, since the information contained herein may be applied under conditions of use beyond our control and with which we may be unfamiliar, we do not assume responsibility for the results of such application. This information is furnished upon the condition that the person receiving it shall make his own determination of the suitability of the material for his particular use.

Issued: 05/15/08 Supersedes: 08/15/06

Page 6 of 6