Approved - See Bilionin Leman @ 11/8/12

## **MATERIAL SAFETY DATA SHEET**

(Prepared According to 29 CFR 1910.1200)

SECTION 4 DBC		TIEICAT							
SECTION 1 - PRC Distributor Airex	Laboratories		ION		Emergency Phone 800-255-3924				
	Delmar Drive Fo		19032				•		
		UCIOII, FA	19032		Product Type Disinf	estant Clean			
7410	44 ACE		NTO		riodaet type Disini	ectarit Cleans			
SECTION 2 - HAZ						L.	<b>TIN (60 N)</b>		
	L NAME/COM	IMON NAI	ME	CAS NO.	PERCENT(optiona		TLV(Source)		
Didecyl dimethyl ammonium chloride				7173-51-5	2.54	Not Establis			
Alkyl dimethyl benzyl an	monium chloride	e (12-16)		68424-85-1	1.69	Not Establis			
· · · · · · · · · · · · · · · · · · ·	· · · · · · · · · · · · · · · · · · ·						********		
····					L				
					( <b>f</b>	Not benerde		Trada Soc	
Other ingredients in this			s than 1% by weigh	nt or less than 0.1%	6 for carcinogens <b>x</b>	Not hazardo	us X Declared to be	Trade Sec	
SECTION 3 - PHY		1					-		
	Appx. 212	Specific (	Gravity(H2O=1.0)	(± 0.005) 1.0		l (± 0.5)	7.0		
Vapor Pressure(mm Hg)		Unknowr	1	Vapor Density(A	lir=1)		Unknown		
Solubility in water	<b>X</b> Complete	<u>L</u>	Insoluble	Emulsifiable (		Slight (or	Partial)	<u> </u>	
Evaporation Rate(vs. H2	0)		Faster	Slower	X Abo	ut the Same	·····		
Appearance and Odor	green liquid, ple	asant odor							
<b>SECTION 4 - FIR</b>	EAND EXPL	OSION	HAZARD DA						
Flash Point(T.C.C.)		°F. 🖌	None to Boiling	Flammable Lir	nits Upper Unknowr	Lower	Unknown		
Extinguishing Media	CO2, dry chemi	ical, foam,	water spray.						
Special Firefighting Proc	edures Do not	enter any	confined fire-space	s without protectiv	e clothing and self-con	tained air sup	ply. Cool fire-exposed c	ontainers	
Unusual Fire and Explos	ion Hazards <sub>Nor</sub>	ne known.	-						
<b>SECTION 5 - REA</b>									
Stability Stable		Incon	npatibility Strong	a oxidizers					
Hazardous Decompositi	on Products C	arbon mon			ases may occur durin	a incomplete	combustion.		
SECTION 6 - HEA									
Primary Routes of Expo			🗴 Skin	🗴 Oral	N	nhalation	U Other		
Signs Eyes: I	Redness,severe	eye damag	e. Skin: Burns. S	wallowing: probabl	e mucosal damage, po	ssible respira	atory depression, possib	le	
and Symptoms convul									
of Overexposure									
(Acute) Signs and Symptoms of		hrania).							
		nronic)Nor	ne known						
Medical Conditions Aggravated by Overexposi					ogen/Suspect Carcino	gen ingreaier		ARC <mark>X</mark> NON	
SECTION 7 - EMI	ERGENCY A	ND FIR	ST AID PROC	CEDURES					
			st 15 minutes. Call						
	vith plenty of wat	er for at lea	ast 15 minutes. Rei	move contaminate	d clothing/ shoes. Cal	a physician.	Wash clothing before re	euse.	
	aa whites, gelat	in solution	or if these are not	available, drink lar	ae quantities of water.	Call a physic	ian.		
Inhalation Not applica									
SECTION 8 - SPE	CIAL PROT	ECTIO	N INFORMATI	ION					
Respiratory Protection	Not needed ur	nder norma	I conditions of use						
Ventilation Requiremen	s 🔲 Local	Exhaust	🗴 Mechanical	Other					
Protective Gloves Rut	ber Eye Pro	otectionSat	fety glasses/goggle	es Other F	Protective ClothingMay	be needed w	here likely exposure ma	y occur	
<b>SECTION 9 - SPI</b>	LL OR LEA	K PROC	EDURES						
Steps to be Taken				spills absorb with	suitable absorbent, the	en shovel into	containers.		
if Released or Spilled									
Waste Disposal Method	s Dispose of ir	n accordan	ce with applicable	Federal, State and	Local ordinances.				
SECTION 10 - ST	ORAGE AN	D HANI	DLING INFOR	MATION					
Precautions to be Take		minate foo	d or water by stora	ige or disposal. Tr	iple rinse(or equivalen	t) empty conta	ainer before disposal. D	o not get in	
The health hazards given o	on this Material Cot		et apply to this produ	uct in its concentrate	d form (as supplied) and a	may	HEALTH	3	
differ significantly at use di	ution. The signs a	nd symptom	s of overexposure ap	oply only to negligence	e in handling or misuse o	f the	FLAMMABILITY	0	
concentrated product and	not to the routine e	xposure to t	•			HAZARD RATING	REACTIVITY PERSONAL PROTECTION	0 B	
24-70A				PREPARED J	anuary 5, 2010				

DATE PREPARED January 5, 2010

## The Bullen Companies Inc.

November 7, 2012

## Mr. Keith Karzin

Director of Safety and Risk Management Saugus Union School District

## Dear Keith,

Per your request to Mario Tresierras, below are the HMIS ratings at the specified use levels for each of Airx products of interest.

	Н	F	R	PE	
RX 44 ACE; 1:64	1	0	0	А	/
<b>RX 60</b> ; 1:10	1	1	0	А	
RX 66; RTU	1	0	0	А	
<b>RX 75</b> ; RTU	1	0	0	А	
<b>RX 77</b> ; RTU	2	0	0	В	
<b>RX 80;</b> 1:64	1	0	0	А	
<b>RX 101</b> ; 1:64	1	0	0	A	_
		1	0	B	NOT
					DISTRICT
Please feel free to cor	APPROVED				

Please feel free to contact me if there are any questions.

Best regards,

My C. Mom Im ~~

**Technical Director** The Bullen Companies